



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,424	04/01/2004	Eiji Murakami	17585	7730
23389	7590	06/16/2006	EXAMINER	
SCULLY SCOTT MURPHY & PRESSER, PC			PEFFLEY, MICHAEL F	
400 GARDEN CITY PLAZA			ART UNIT	PAPER NUMBER
SUITE 300				3739
GARDEN CITY, NY 11530				

DATE MAILED: 06/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/815,424	MURAKAMI ET AL.
	Examiner	Art Unit
	Michael Peffley	3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 01 April 2004.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 7-14 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 7-14 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4/1/04.
4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ .
5) Notice of Informal Patent Application (PTO-152)
6) Other: ____ .

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 8, 9 and 11-13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 8, 9 and 11-13 all depend from a claim that has been canceled making the scope of the claim unclear. For the sake of examining, claims 8 and 9 are deemed to depend from claim 7, and claims 11-13 are deemed to depend from claim 10.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 7-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyawaki et al (6,193,709) in view of the teaching of Japanese Publication JP 2000-254138.

Miyawaki et al disclose an ultrasonic treatment apparatus comprising a probe (79) to which ultrasonic energy is applied, and a tip action unit that moves in an opening

and closing manner. The tip action unit includes a jaw member (75) and a grasping member (78) pivotably supported by the jaw for grasping living tissue (see Figures 5A, 5B and 6). The grasping member includes an element (81) made of a heat resistant resin (col. 8, lines 30+) and a second element (78a) made of a reinforcing material. Further, there is a filling member (82,83) between the first and second element (Figure 6). Miyawaki et al fail to specifically disclose that the heat resistant resin material covers the entire outer surface of the second element (78a). Rather, the resin material covers only those portions adjacent to tissue.

Japanese Publication 2000-254138 discloses an analogous device, and specifically teach that it is known to provide the grasping member with a TEFLON coating. The '138 publication does not expressly state that the coating is provided on the entire outer surface of the grasping member, however the examiner maintains that to have provided such a heat resistant coating on the entire surface would have been an obvious modification for one of ordinary skill in the art to provide superior heat resistant and a smoother surface for the entire jaw member.

To have provided the Miyawaki et al jaw element with a TEFLON coating to provide protection to the entire surface of the jaw member would have been an obvious consideration for one of ordinary skill in the art in view of the teaching of the JP 2000-254138 publication.


Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Whipple et al (6,214,023) and Shibata et al (6,425,907) both disclose analogous ultrasonic grasper tools.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Peffley whose telephone number is (571) 272-4770. The examiner can normally be reached on Mon-Fri from 6am-3pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Michael Peffley
Primary Examiner
Art Unit 3739

mp
June 11, 2006